CONTENTS

Electrical properties of some pyridinium iodide derivatives
S.H. Etaiw, M.M. Ayad and S.S. Assar (Tanta, Egypt) 1
Thermal–conductimetric studies on some isonicotinoyl hydrazone derivatives and their metal complexes
R.M. El-Bahnasawy and E. El-Shereafy (Menoufia, Egypt), Y.M. Issa (Cairo, Egypt) and S. El-Meleigy (Menoufia, Egypt) 9
Thermochemical studies of helium and argon sorption by oxidated coals
P. Starzewski (Warsaw, Poland) and Y. Grillet (Marseille, France) 17
Studies on polyfunctional *O*-ligands. Solubility and thermal stability of 1,2,4,5-benzenetetracarboxylate complexes with alkali and alkaline earth metal ions
R. Curini and G. D'Ascenzo (Rome, Italy), A. De Robertis, C. De Stefano and S. Sammartano (Agata di Messina, Italy) 25
Thermodynamics of the complex formation of thorium(IV) with glutathione in aqueous solution
A. Bismondo and L. Rizzo (Padova, Italy) 43
Estimation of entropies for intermetallic compounds and applications to phase diagram calculations
G. Huang, H. Li, L. Wang and Z. Xu (Beijing, People's Republic of China) 47
Kinetic study of the thermal dehydration of copper(II) acetate monohydrate. II. Crushed crystals
H. Tanaka and N. Koga (Hiroshima, Japan) 53
Application of the Prigogine–Flory–Patterson and extended real associated solution methods to excess molar volumes of pyridine base with *n*-alkane mixtures
T. Kasprzycka-Guttman and H. Kurcinska (Warsaw, Poland) 63
Comparative study of the reduction kinetics of magnetites and derived ammonia synthesis catalysts
S.S. Bogdanov and B.D. Aleksić (Belgrade, Yugoslavia), I.G. Mitov and D.G. Klisurski (Sofia, Bulgaria) and N.A. Petranović (Belgrade, Yugoslavia) 71
A novel method for wetting and drying isotherms of materials by thermogravimetry
R.D. Mounts, M. Morton and M.W. Babich (Melbourne, FL, U.S.A.) 81
Decomposition of chlorinated polyethylene in air without ignition
W.-P. Pan and M.J. Whiteley (Bowling Green, KY, U.S.A.), M.A. Seragelidin (Winston-Salem, NC, U.S.A.) and G. Cai (Shanghai, People's Republic of China) 85
Kinetics of curing and thermal stability of a novel tetrafunctional epoxy resin, *N,N,N′,N′*-tetraglycidyl-1,1′-bis[4-(*p*-aminophenoxy)phenyl]cyclohexane, using various amine curing agents with or without fortifier
R.H. Patel and R.G. Patel (Vallabh Vidyanagar, India) 95
The kinetics of the thermal dehydration of the system $Ca(H_2PO_4)_2 \cdot H_2O$–$CaHPO_4 \cdot 2H_2O$
T.C. Vaimakis, P.J. Pomonis and A.T. Sdoukos (Ioannina, Greece) 101
Determination of spontaneous ignition temperatures of edible oils and fats by pressure differential scanning calorimetry
B. Kowalski (Warsaw, Poland) 117
An insight into the degradation aspects of 1,4,5,6,7,7-hexachlorobicyclo[2.2.1]hept-5-ene-2,3-dicarboxylic acid based two component polyesters
C.T. Vijayakumar and K. Lederer (Leoben, Austria) 129
An assessment of the thermodynamic properties and phase diagram of the system Bi–Cu
O. Teppo, J. Niemelä and P. Taskinen (Espoo, Finland) 137
Calorimetric study of the protonation process of some 3-aryliminoindolenine derivatives in acetonitrile. Correlations with electroreduction process
F. Rodante (Rome, Italy) and F. Fantauzzi (Aquila, Italy) 151
Computational thermodynamic study of two species used for modelling the anaesthetic activity of nitrous oxide: the N_2O–H_2O associates
Z. Slanina (Mainz, F.R.G.) 161

O_6(g): The present state in computational evaluation of its thermodynamics
Z. Slanina (Mainz, F.R.G.) 171
Étude thermodynamique de la formation de composés complexes dans le mélange de sels fondus: $K_2S_2O_7$–V_2O_5
G. Hatem and P. Gaune (Marseille, France) 177
Thermal, spectral and magnetic studies of the chloro complexes of cobalt(II), nickel(II) and copper(II) with phenetidine
J.R. Allan, G.H.W. Milburn and F. Richmond (Edinburgh, Gt. Britain), D.L. Gerrard and J. Birnie (Sunbury, Gt. Britain) and A.S. Wilson (Penarth, Gt. Britain) 185
Investigation of the crystallization kinetics of cyclotrimethylenetrinitramine and cyclotetramethylenetetranitramine by microcalorimetry
X. Chen, Z. Li and R. Hu (Shaanxi, People's Republic of China) 193
Thermoanalysis supported by principal component analysis of essential oil samples
R.J. Ochocka, M. Wesołowski and H. Lamparczyk (Gdańsk, Poland) 199
A study of zirconium/potassium perchlorate primer mixtures
J.-S. Lee, L.-K. Lin, C.-H. Lin, P.-J. Ch'en, C.-W. Huang and S.-S. Chang (Taiwan) 211
DTA investigations on the synthesis of halophosphate-type phosphors
P. Staszczuk, E. Stefaniak and E. Szymański (Lublin, Poland) and J. Zielska (Warsaw, Poland) 219
Thermogravimetric study of the thermal stability of poly(vinyl chloride)/poly(α-methylstyrene-co-acrylonitrile) blends
S.H. Goh (Singapore, Singapore) 229
Studies on the V_2O_5–$CrVMoO_7$ system
J. Walczak and E. Filipek (Szczecin, Poland) 235
Analysis of the components of lignocellulose degraded by *Agaricus bisporus* and *Pleurotus ostreatus*
H.S. Shekhar Sharma (Belfast, Gt. Britain) 241
Use of spreadsheets in thermal analysis. Part 6
L. Reich (Hoboken, NJ, U.S.A.) 253
Thermodynamic behaviour of some uncharged organic molecules in concentrated aqueous urea solutions and other polar solvents
M. Abbate, G. Barone and G. Castronuovo (Naples, Italy), P.J. Cheek (Sheffield, Gt. Britain), C. Giancola (Naples, Italy), T.E. Leslie and T.H. Lilley (Sheffield, Gt. Britain) 261
Excess enthalpies of 1-octanol with cyclohexane at 298.15 K
U. Domańska and K. Domański (Warsaw, Poland), C. Klofutar and Š. Paljk (Ljubljana, Yugoslavia) 273
A computer program for kinetic analysis of non-isothermal thermogravimetric data
M. Arshad Ali Beg and M. Ali Qaiser (Peshawar, Pakistan) 281
Enthalpies of solution of glycine in solutions of aqueous ureas at 298.15 K
B. Pałecz and S. Taniewska-Osinska (Łódź, Poland) 295
Réalisation d'un capteur thermique de haute sensibilité. Application à l'étude du comportement thermique des solutions de lysozyme et d'hormone humaine de croissance biosynthétique
P. Claudy and J.M. Letoffe (Villeurbanne, France), A. Bayol and M.C. Bonnet (Labège, France) 301

Author Index 313

Subject Index 315